



**WCIO Workers Compensation Data  
Specifications Manual**

**WORKERS COMPENSATION CRITICISM  
INFORMATION (WCCRIT)**

Summary of Changes: No changes in this version.

<b>TOPIC/ FIELD NAME</b>	<b>SUBJECT HEADING</b>	<b>POSITION</b>
<b>A</b>		
ADDRESS OF CONTACT - CITY	Insurer Address Record	<a href="#">270-299</a>
ADDRESS OF CONTACT - STATE	Insurer Address Record	<a href="#">300-301</a>
ADDRESS OF CONTACT - STREET	Insurer Address Record	<a href="#">150-209</a>
	Insurer Address Record	<a href="#">210-269</a>
ADDRESS OF CONTACT - ZIP CODE	Insurer Address Record	<a href="#">302-310</a>
<b>B</b>		
BUSINESS SEGMENT IDENTIFIER	Header Record	<a href="#">379-385</a>
<b>C</b>		
CARRIER CODE	Link Data Common to All Records	<a href="#">1-5</a>
CORRECTION SEQUENCE NUMBER	Link Data Common to All Records	<a href="#">45-45</a>
CORRECTION TYPE CODE	Header Record	<a href="#">386-386</a>
CRITICISM TOTAL	File Control Record	<a href="#">63-69</a>
<b>D</b>		
DCO CONTACT EMAIL ADDRESS	Header Record	<a href="#">205-264</a>
DCO CONTACT PHONE NUMBER	Header Record	<a href="#">195-204</a>
DETAIL RECORD COUNT TOTAL	File Control Record	<a href="#">55-62</a>
<b>E</b>		
ERROR CODE	WCPOLS Error Information Record	<a href="#">58-65</a>
	WCSTAT Error Information Record	<a href="#">58-65</a>
ERROR CODE TOLERANCE	WCPOLS Error Information Record	<a href="#">67-68</a>
	WCSTAT Error Information Record	<a href="#">67-68</a>
ERROR MESSAGE	WCPOLS Error Information Record	<a href="#">69-372</a>
	WCSTAT Error Information Record	<a href="#">69-372</a>
ERROR MESSAGE SEQUENCE NUMBER	WCPOLS Error Information Record	<a href="#">399-400</a>
	WCSTAT Error Information Record	<a href="#">399-400</a>
ERROR STATUS CODE	Header Record	<a href="#">153-153</a>
EXPOSURE STATE CODE	Link Data Common to All Records	<a href="#">31-32</a>
<b>F</b>		
FILLER	File Control Record	<a href="#">1-53</a>
FINE AMOUNT	Subsequent Notification Record	<a href="#">59-63</a>
FINE NOTIFICATION NUMBER	Subsequent Notification Record	<a href="#">57-58</a>
<b>I</b>		
INDEPENDENT DCO RISK ID NUMBER/ FILE NUMBER/ ACCOUNT NUMBER	Header Record	<a href="#">299-313</a>
INTERNAL SUBMISSION ID	Header Record	<a href="#">314-327</a>
<b>L</b>		
LETTER ID	Header Record	<a href="#">328-341</a>
LETTER ISSUED DATE	Header Record	<a href="#">342-349</a>
LINK DATA	Header Record	<a href="#">1-53</a>
	Insurer Address Record	<a href="#">1-53</a>
	Subsequent Notification Record	<a href="#">1-53</a>
	WCPOLS Error Information Record	<a href="#">1-53</a>
	WCSTAT Error Information Record	<a href="#">1-53</a>
<b>M</b>		
MESSAGE TYPE CODE	WCPOLS Error Information Record	<a href="#">66-66</a>
	WCSTAT Error Information Record	<a href="#">66-66</a>
MULTIPLE RECORD IDENTIFIERS	WCPOLS Error Information Record	<a href="#">373-398</a>
	WCSTAT Error Information Record	<a href="#">373-398</a>

<b>TOPIC/ FIELD NAME</b>	<b>SUBJECT HEADING</b>	<b>POSITION</b>
<b>N</b>		
NAME OF DATA PROVIDER COMPANY	Insurer Address Record	<a href="#">110-149</a>
NAME OF DATA PROVIDER CONTACT	Insurer Address Record	<a href="#">55-79</a>
NAME OF DCO CONTACT	Header Record	<a href="#">170-194</a>
NAME OF INSURED	Header Record	<a href="#">63-152</a>
NEXT FINE AMOUNT	Header Record	<a href="#">265-269</a>
NOTIFICATION NUMBER	Subsequent Notification Record	<a href="#">55-56</a>
NOTIFICATION TYPE CODE	Subsequent Notification Record	<a href="#">64-64</a>
<b>P</b>		
POLICY EFFECTIVE DATE	Link Data Common to All Records	<a href="#">33-40</a>
POLICY EXPIRATION OR CANCELLATION DATE	Header Record	<a href="#">55-62</a>
POLICY NUMBER IDENTIFIER	Link Data Common to All Records	<a href="#">6-23</a>
PROCESSED DATE	Header Record	<a href="#">154-161</a>
PRODUCT DATA TYPE CODE	Link Data Common to All Records	<a href="#">41-41</a>
<b>R</b>		
RECORD TYPE CODE	File Control Record	<a href="#">54-54</a>
	Header Record	<a href="#">54-54</a>
	Insurer Address Record	<a href="#">54-54</a>
	Subsequent Notification Record	<a href="#">54-54</a>
	WCPOLS Error Information Record	<a href="#">54-54</a>
	WCSTAT Error Information Record	<a href="#">54-54</a>
RECORD TYPE SEQUENCE NUMBER	WCPOLS Error Information Record	<a href="#">55-57</a>
	WCSTAT Error Information Record	<a href="#">55-57</a>
REPLACEMENT REPORT CODE	Header Record	<a href="#">387-387</a>
REPORT LEVEL CODE/REPORT NUMBER	Link Data Common to All Records	<a href="#">42-42</a>
REPORTED POLICY EFFECTIVE DATE	Header Record	<a href="#">270-277</a>
RESERVED FOR FUTURE USE	File Control Record	<a href="#">70-400</a>
	Header Record	<a href="#">278-298</a>
	Header Record	<a href="#">350-369</a>
	Header Record	<a href="#">388-400</a>
	Insurer Address Record	<a href="#">311-400</a>
	Link Data Common to All Records	<a href="#">24-30</a>
	Subsequent Notification Record	<a href="#">65-400</a>
RESPOND BY DATE	Header Record	<a href="#">162-169</a>
<b>T</b>		
THIRD PARTY ENTITY (TPE/TPA/MGA) FEDERAL EMPLOYER IDENTIFICATION NUMBER (FEIN)	Header Record	<a href="#">370-378</a>
TITLE	Insurer Address Record	<a href="#">80-109</a>
TRANSACTION CODE	Link Data Common to All Records	<a href="#">43-44</a>
TRANSACTION ISSUE DATE	Link Data Common to All Records	<a href="#">46-53</a>

Field No.	Field Title/Description	Class	Position	Bytes
-----------	-------------------------	-------	----------	-------

**LINK DATA COMMON TO ALL RECORDS**

1	<b>CARRIER CODE</b> Report the code assigned to the reporting company by NCCI or other DCO.	N	1-5	5
2	<b>POLICY NUMBER IDENTIFIER</b> Report the unique identifier used for identifying the policy.  This number identifier must be identical to the number identifier set forth on the policy Information Page or as endorsed.  The complete policy number identifier must remain the same throughout the life of the policy and for all experience reporting.  Do not report embedded blanks or marks of punctuation.	AN	6-23	18
3	<b>RESERVED FOR FUTURE USE</b>	AN	24-30	7
4	<b>EXPOSURE STATE CODE</b> Report the state code in which coverage has been provided for the classifications and corresponding exposures, if any, and to which the payrolls of claimants have been assigned.  This field is for WCSTAT only.	N	31-32	2
5	<b>POLICY EFFECTIVE DATE</b> Report the date that the policy became effective.  Format CCYYMMDD.	N	33-40	8
6	<b>PRODUCT DATA TYPE CODE</b> Report the code that identifies the type of criticism.  <b>Code Description</b> P Policy Criticism S Unit Statistical Report Criticism	AN	41-41	1
7	<b>REPORT LEVEL CODE/REPORT NUMBER</b> Report the code that corresponds to the report level based on the loss valuation date.  This field is for WCSTAT only.  The proper sequencing for numbering consecutively is "1" through "9" and then "A".  <b>Code Description</b> 1 First Report- Valued 18 months from policy effective month 2 Second Report- Valued 30 months from policy effective month	AN	42-42	1

Field No.	Field Title/Description	Class	Position	Bytes
3	Third Report- Valued 42 months from policy effective month			
4	Fourth Report- Valued 54 months from policy effective month			
5	Fifth Report- Valued 66 months from policy effective month			
6	Sixth Report- Valued 78 months from policy effective month			
7	Seventh Report- Valued 90 months from policy effective month			
8	Eighth Report- Valued 102 months from policy effective month			
9	Ninth Report- Valued 114 months from policy effective month			
A	Tenth Report- Valued 126 months from policy effective month			

8	<b>TRANSACTION CODE</b>	N	43-44	2
---	-------------------------	---	-------	---

Report the code identifying the type of transaction being submitted.

This field is for WCPOLS only.

Refer to the Data Reporting Handbook for further instructions.

**Code Description**

- 01 New Policy
- 02 Renewal Policy
- 03 Endorsement
- 04 Annual Rerate Endorsement
- 05 Cancellation/Reinstatement
- 06 Policy Replacement Due to Key Field Change
- 07 Reserved for Future Use
- 08 Policy Replacement Due to Rating Change
- 09 Reserved for Future Use
- 10 Policy Replacement due to Non-Rating Change
- 11 Reserved for Future Use
- 12 Reserved for Future Use
- 13 Reserved for Future Use

Field No.	Field Title/Description	Class	Position	Bytes
14	Policy Replacement due to Misc. Change/Non-Key Field Change N/A: DE, PA			
15	Policy Replacement due to Add/Delete State Change			
16	Proof Of Coverage (POC) Notice / Binder N/A: NC, NCCI, NJ, NY			
17	Noncompliance/Compliance of Policy Terms and Conditions N/A: CA, MI, NJ			
18	Renewal Certificate/Renewal Agreement N/A: DE, MA, MI, MN, NC, NCCI, NJ, NY, PA, WI			
9	<b>CORRECTION SEQUENCE NUMBER</b> Report the number that corresponds to the number of correction reports submitted within a particular report level.  Exposure and loss corrections on the same report level must be numbered consecutively.  This field is used to determine if the report is sent as a correction. The sequence of the correction is not stored or used for processing. N/A: DE, MA, MI, MN, NC, NCCI, NJ, NY, PA, WI  This field is the most current/correct value for this data element.  Example: Third correction to a first report = Report Level Code 1, Correction Sequence Number 3. This is the revised correction sequence number on header corrections to change the correction sequence number.  This field is for WCSTAT only.  For noncorrections, report "0" .  The proper sequencing for numbering consecutively is "1" through "9" and then "A" through "Z". This number sequence will accommodate up to 35 corrections.  For corrections greater than 35, continue to use "Z". The Correction Sequence Number will be derived by the DCO using this code and the date the unit report was received.	AN	45-45	1
10	<b>TRANSACTION ISSUE DATE</b> Report the issue date of the transaction being submitted.  This date is the accounting date on which the data represented by this transaction code was processed by the insurer's policy issuance system.  This date, for a particular transaction, is not necessarily the date of creation of the file. Example: If an insurer processes transactions on a daily basis and saves these daily transactions to a file from which a submission is created once a week, this date would reflect the daily processing date, not the date of the submission creation. Thus, a given file submission may contain transactions with different transaction issue dates.	N	46-53	8

---

<b>Field No.</b>	<b>Field Title/Description</b>	<b>Class</b>	<b>Position</b>	<b>Bytes</b>
	More than one Transaction 06, 08, 10, 14 or 15 with the same Transaction Issue Date for the same policy must not be included on the same submission.			
	This field is for WCPOLS only.			
	Format CCYYMMDD.			



Field No.	Field Title/Description	Class	Position	Bytes
-----------	-------------------------	-------	----------	-------

**HEADER RECORD**

1	<b>LINK DATA</b>		1-53	53
---	------------------	--	------	----

Link Data is a collection of data elements that are common to all records in the data specification. These common data elements allow the applicable records to be joined. For presentation purposes only, Link Data is shown as Record Type 0 or 00 and should not be considered a separate record but rather a sub-record within each record.

2	<b>RECORD TYPE CODE</b> Report "1".	AN	54-54	1
---	--	----	-------	---

3	<b>POLICY EXPIRATION OR CANCELLATION DATE</b> Report the date that the policy expired or was cancelled.	N	55-62	8
---	--	---	-------	---

For mid-term cancelled policies, report the cancellation date as the expiration date. (For MA and WI, this note is applicable to WCSTAT only.)

For policies issued not longer than one year and sixteen days (considered standard one-year term policies), report the expiration date as shown on the policy Information Page.

For the first and second periods of three-year variable rate policies, report the expiration date as one and two years, respectively, subsequent to the policy effective date set forth in Item 2 of the policy Information Page. For the third period, report the policy expiration date as shown on the policy Information Page, or as endorsed. In the event the policy contains a Policy Period Endorsement, then the expiration date must coincide with the date indicated in the schedule of that endorsement.

For the first and second period of extended-term policies, report the associated expiration date as shown in the Policy Period Endorsement.

Format CCYYMMDD.

4	<b>NAME OF INSURED</b> Report the primary name of the insured as was submitted by the data provider.	AN	63-152	90
---	---	----	--------	----

Maximum size of risk name is 90 characters including spaces and punctuation marks.

5	<b>ERROR STATUS CODE</b> Report the code that identifies the type of error found.	AN	153-153	1
---	--	----	---------	---

**Code Description**

0 Accepted - No Further Action Required N/A: WI

1 Accepted Informational - Further Action May Be Required

WI: This code is not applicable for WCSTAT reporting.

Field No.	Field Title/Description	Class	Position	Bytes
2	Accepted With Minor Errors - Carrier Action Required N/A: WI			
3	Accepted With Critical Errors - Carrier Action Required WI: This code is not applicable for WCSTAT reporting.			
4	Suspended With Critical Errors - Carrier Action Required N/A: WI			
5	Rejected From Submission - Further Action May Be Required WI: This code is not applicable for WCSTAT reporting.			
6	Unmatched Link data – Carrier Action Required WI: This code is not applicable for WCSTAT reporting.			
7	Suspended With Noncritical Errors – DCO Review Required, Carrier Action May Be Requested N/A: WI			
6	<b>PROCESSED DATE</b> Report the date that the DCO processed the transmission. Format CCYYMMDD.	N	154-161	8
7	<b>RESPOND BY DATE</b> Report the date that the DCO requires a response. This is the due date upon which a fine may be levied. Format CCYYMMDD.	N	162-169	8
8	<b>NAME OF DCO CONTACT</b> Report all or a portion of the name of the business representative to be contacted regarding the criticism as accommodated by this field.	AN	170-194	25
9	<b>DCO CONTACT PHONE NUMBER</b> <i>NOT APPLICABLE: MI</i> Report the direct telephone number of the of the business representative to be contacted regarding the criticism.	N	195-204	10
10	<b>DCO CONTACT EMAIL ADDRESS</b> <i>NOT APPLICABLE: WI</i> Report the email address of the business representative to be contacted regarding the criticism.	AN	205-264	60
11	<b>NEXT FINE AMOUNT</b> Report the amount that represents the eligible amount for the next fine.	N	265-269	5
12	<b>REPORTED POLICY EFFECTIVE DATE</b>	N	270-277	8

Field No.	Field Title/Description	Class	Position	Bytes
	Report the effective date that was reported by the carrier. Format CCYYMMDD.			
13	<b>RESERVED FOR FUTURE USE</b>	AN	278-298	21
14	<b>INDEPENDENT DCO RISK ID NUMBER/ FILE NUMBER/ ACCOUNT NUMBER</b> Report the risk identification number assigned by the appropriate DCO other than NCCI.	AN	299-313	15
15	<b>INTERNAL SUBMISSION ID</b> <i>NOT APPLICABLE: MI</i> Report the unique number assigned by the DCO when the submission is processed.	AN	314-327	14
16	<b>LETTER ID</b> <i>NOT APPLICABLE: MA, MI</i> Report the unique identifier found on the letter produced by the DCO for tracking purposes.	AN	328-341	14
17	<b>LETTER ISSUED DATE</b> <i>NOT APPLICABLE: CA, MA, MI, MN, NC, NCCI, NY, WI</i> Report the date that the DCO issued the criticism letter. Format CCYYMMDD.	N	342-349	8
18	<b>RESERVED FOR FUTURE USE</b>	AN	350-369	20
19	<b>THIRD PARTY ENTITY (TPE/TPA/MGA) FEDERAL EMPLOYER IDENTIFICATION NUMBER (FEIN)</b> <i>NOT APPLICABLE: CA, DE, MA, MI, NC, NCCI, NJ, NY, PA, WI</i> Report the Federal Employer Identification Number (FEIN) corresponding to the Third Party Entity (TPE/TPA/MGA) Data Provider (on behalf of the Insurance Carrier).	N	370-378	9
20	<b>BUSINESS SEGMENT IDENTIFIER</b> <i>NOT APPLICABLE: CA, DE, MI, NC, NCCI, NJ, NY, PA, WI</i> Report the series of identifying codes maintained and reported by the data provider.	N	379-385	7
21	<b>CORRECTION TYPE CODE</b> Report the code that indicates the type of correction report being submitted. This field is applicable to WCSTAT only. Applicable only to correction reports.  <b>Code Description</b>	A	386-386	1

Field No.	Field Title/Description	Class	Position	Bytes
	A Loss Record Corrections Due to Aggravated Inequity N/A: CA, DE, NC, NJ, NY, PA			
	E Exposure Record Correction (First Reports Only)			
	H Header Record Correction (Including Link Data) Link Data corrections are not applicable. N/A: CA, DE, MA, MI, NC, NCCI, NJ, NY, PA, WI			
	L Loss Record Correction Not Due to Aggravated Inequity			
	M Corrections to Multiple Record Types			
	T Total Record Correction			
22	<b>REPLACEMENT REPORT CODE</b> <i>NOT APPLICABLE: CA, DE, NJ, NY, PA</i>	AN	387-387	1
	Report the Replacement Report code used to indicate that the USR is replacing a previously submitted.  This field is applicable to WCSTAT only.			
	<b>Code Description</b>			
	R Replaces a previous report due to incorrect value			
23	<b>RESERVED FOR FUTURE USE</b>	AN	388-400	13

Field No.	Field Title/Description	Class	Position	Bytes
-----------	-------------------------	-------	----------	-------

**WCSTAT ERROR INFORMATION RECORD**

1	<b>LINK DATA</b>		1-53	53
---	------------------	--	------	----

Link Data is a collection of data elements that are common to all records in the data specification. These common data elements allow the applicable records to be joined. For presentation purposes only, Link Data is shown as Record Type 0 or 00 and should not be considered a separate record but rather a sub-record within each record.

2	<b>RECORD TYPE CODE</b> Report "2".	AN	54-54	1
---	--	----	-------	---

3	<b>RECORD TYPE SEQUENCE NUMBER</b> Report the number that corresponds to the number of Error Records within a particular criticism.	N	55-57	3
---	--	---	-------	---

4	<b>ERROR CODE</b> Report the series of codes identifying the WCSTAT record type on which the error occurred, starting position of the field in error, and error sequence number for the field.	AN	58-65	8
---	---	----	-------	---

Breakdown of eight position error code:

Positions 1-2 : Identifies the Record Type on which the error occurred.

Positions 3-5 : Identifies the starting position of the field in error on the record.

Positions 6-8 : Identifies the error sequence number for the field.

This field contains one error code being eight positions in length.

5	<b>MESSAGE TYPE CODE</b> Report the code that identifies the origin of a message that applies to a specific record.	A	66-66	1
---	--	---	-------	---

**Code Description**

D DCO Specific Error Message  
 S Standard Error Message

6	<b>ERROR CODE TOLERANCE</b> <i>NOT APPLICABLE: WI</i>	AN	67-68	2
---	--	----	-------	---

Report the code that represents the tolerance level for the corresponding error code.

**Code Description**

Field No.	Field Title/Description	Class	Position	Bytes
	01 Critical			
	02 Priority			
	03 Low			
	04 Conditional			
	05 Warning			
7	<b>ERROR MESSAGE</b> Report a description of the error code.	AN	69-372	304
8	<b>MULTIPLE RECORD IDENTIFIERS</b> Report the fields used to identify the record in error, when multiple records of the same type appear within a transaction.  When multiple records of the same type appear within a transaction the following fields from the record containing the error are included to identify the record in error.  The Record Type is reported as part of the Error Code.  Refer to the Data Reporting Handbook for further instructions.	AN	373-398	26
9	<b>ERROR MESSAGE SEQUENCE NUMBER</b> Report the number that represents the order in which the error messages should be read.	N	399-400	2

Field No.	Field Title/Description	Class	Position	Bytes
<b>WCPOLS ERROR INFORMATION RECORD</b>				
1	<b>LINK DATA</b> Link Data is a collection of data elements that are common to all records in the data specification. These common data elements allow the applicable records to be joined. For presentation purposes only, Link Data is shown as Record Type 0 or 00 and should not be considered a separate record but rather a sub-record within each record.		1-53	53
2	<b>RECORD TYPE CODE</b> Report "6".	AN	54-54	1
3	<b>RECORD TYPE SEQUENCE NUMBER</b> Report the number that corresponds to the number of Error Records within a particular criticism.	N	55-57	3
4	<b>ERROR CODE</b> Report the applicable error code for the field.  Breakdown of eight position error code:  Positions 1-2 : Identifies the Record Type on which the error occurred.  Positions 3-5 : Identifies the starting position of the field in error on the record.  Positions 6-8 : Identifies the type of error.  This field contains one error code being eight positions in length.	AN	58-65	8
5	<b>MESSAGE TYPE CODE</b> Report the code that identifies the origin of a message that applies to a specific record.  <b>Code Description</b> D DCO Specific Error Message S Standard Error Message	A	66-66	1
6	<b>ERROR CODE TOLERANCE</b> <i>NOT APPLICABLE: WI</i>  Report the code that represents the tolerance level for the corresponding error code.  <b>Code Description</b> 01 Critical 02 Priority 03 Low 04 Conditional	AN	67-68	2

Field No.	Field Title/Description	Class	Position	Bytes
	05 Warning			
7	<b>ERROR MESSAGE</b> Report a description of the error code.	AN	69-372	304
8	<b>MULTIPLE RECORD IDENTIFIERS</b> Report the fields used to identify the record in error, when multiple records of the same type appear within a transaction.  When multiple records of the same type appear within a transaction the following fields from the record containing the error are included to identify the record in error.  The Record Type is reported as part of the Error Code.  Refer to the Data Reporting Handbook for further instructions. N/A: NCCI	AN	373-398	26
9	<b>ERROR MESSAGE SEQUENCE NUMBER</b> Report the number that represents the order in which the error messages should be read.	N	399-400	2



Field No.	Field Title/Description	Class	Position	Bytes
<b>INSURER ADDRESS RECORD</b>				
1	<b>LINK DATA</b> <i>NOT APPLICABLE: MI</i>		1-53	53
2	<b>RECORD TYPE CODE</b> <i>NOT APPLICABLE: MI</i>  Report "7".	AN	54-54	1
3	<b>NAME OF DATA PROVIDER CONTACT</b> <i>NOT APPLICABLE: MI</i>  Report the name of the individual who should be contacted regarding submission or transmission problems and questions and error reports.	AN	55-79	25
4	<b>TITLE</b> <i>NOT APPLICABLE: MI</i>  Report the title of the data provider contact.	AN	80-109	30
5	<b>NAME OF DATA PROVIDER COMPANY</b> <i>NOT APPLICABLE: MI</i>  Report the name of the data provider company.	AN	110-149	40
6	<b>ADDRESS OF CONTACT - STREET</b> <i>NOT APPLICABLE: MI</i>  Report the street number and name, post office box, or other description of the contact person.	AN	150-209	60
7	<b>ADDRESS OF CONTACT - STREET</b> <i>NOT APPLICABLE: MI</i>  Report the street number and name, post office box, or other description of the contact person.	AN	210-269	60
8	<b>ADDRESS OF CONTACT - CITY</b> <i>NOT APPLICABLE: MI</i>  Report the name of the city of the contact person.	AN	270-299	30
9	<b>ADDRESS OF CONTACT - STATE</b> <i>NOT APPLICABLE: MI</i>  Report the US Postal Service abbreviation for the state or the abbreviation for the Canadian province of the contact person.	AN	300-301	2
10	<b>ADDRESS OF CONTACT - ZIP CODE</b> <i>NOT APPLICABLE: MI</i>	AN	302-310	9

---

Field No.	Field Title/Description	Class	Position	Bytes
	Report the zip code of the physical address of the contact person.			
11	<b>RESERVED FOR FUTURE USE</b> <i>NOT APPLICABLE: MI</i>		311-400	90

Field No.	Field Title/Description	Class	Position	Bytes						
<b>SUBSEQUENT NOTIFICATION RECORD</b>										
1	<p><b>LINK DATA</b>  <i>NOT APPLICABLE: CA, MA, NC, NCCI, NJ, WI</i></p> <p>Link Data is a collection of data elements that are common to all records in the data specification. These common data elements allow the applicable records to be joined. For presentation purposes only, Link Data is shown as Record Type 0 or 00 and should not be considered a separate record but rather a sub-record within each record.</p>		1-53	53						
2	<p><b>RECORD TYPE CODE</b>  <i>NOT APPLICABLE: CA, MA, NC, NCCI, NJ, WI</i></p> <p>Report "8".</p>	AN	54-54	1						
3	<p><b>NOTIFICATION NUMBER</b>  <i>NOT APPLICABLE: CA, MA, NC, NCCI, NJ, WI</i></p> <p>Report the number that corresponds to the number of times the carrier was notified.</p> <p>WI: This field is not applicable for WCSTAT reporting.</p>	N	55-56	2						
4	<p><b>FINE NOTIFICATION NUMBER</b>  <i>NOT APPLICABLE: CA, MA, NC, NCCI, NJ, WI</i></p> <p>Report the number that corresponds to the number of times the carrier was fined.</p>	N	57-58	2						
5	<p><b>FINE AMOUNT</b>  <i>NOT APPLICABLE: CA, MA, NC, NCCI, NJ, WI</i></p> <p>Report the amount assessed for the fine incurred.</p>	N	59-63	5						
6	<p><b>NOTIFICATION TYPE CODE</b>  <i>NOT APPLICABLE: CA, MA, NC, NCCI, NJ, WI</i></p> <p>Report the code that identifies the type of notification sent by the DCO.</p> <table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>F</td> <td>Fine Notification</td> </tr> <tr> <td>R</td> <td>Response Returned – Incomplete Response</td> </tr> </tbody> </table>	Code	Description	F	Fine Notification	R	Response Returned – Incomplete Response	A	64-64	1
Code	Description									
F	Fine Notification									
R	Response Returned – Incomplete Response									
7	<p><b>RESERVED FOR FUTURE USE</b>  <i>NOT APPLICABLE: CA, MA, NC, NCCI, NJ, WI</i></p>	AN	65-400	336						

Field No.	Field Title/Description	Class	Position	Bytes
<b>FILE CONTROL RECORD</b>				
1	<b>FILLER</b> These positions are to be filled with 9s.	N	1-53	53
2	<b>RECORD TYPE CODE</b> Report "9".	AN	54-54	1
3	<b>DETAIL RECORD COUNT TOTAL</b> Report the total number of records on the file including the Electronic Transmittal Record, excluding this File Control Record.	N	55-62	8
4	<b>CRITICISM TOTAL</b> Report the total number of criticisms contained on file.	N	63-69	7
5	<b>RESERVED FOR FUTURE USE</b>	AN	70-400	331